

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	102	((induction with (heat\$3 or harden\$3) with quench\$3)) and (mov\$3 with (workpiece or (work near piece) or work-piece))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 12:59
2	BRS	L2	877	actuator and ((ball near screw) or (ball near spline)) and (servo with motor\$1)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 13:00
3	BRS	L3	3	(actuator and ((ball near screw) or (ball near spline)) and (servo with motor\$1)) and (induction with heat\$3)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 13:01
4	IS&R	L6	236	(29/897.3).CCLS.	USPAT	2004/10/28 12:54
5	IS&R	L7	122	(29/897.312).CCLS.	USPAT	2004/10/28 12:54
6	IS&R	L8	55	(29/525.13).CCLS.	USPAT	2004/10/28 12:54
7	IS&R	L9	68	(29/525.14).CCLS.	USPAT	2004/10/28 12:56
8	IS&R	L10	519	(266/90,104,274).CCLS.	USPAT	2004/10/28 12:53
9	IS&R	L11	181	(414/16,17).CCLS.	USPAT	2004/10/28 12:53
10	IS&R	L12	185	(414/16,17).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 12:53

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	IS&R	L13	648	(266/90,104,274).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 12:53
12	IS&R	L14	58	(29/525.13).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 12:54
13	IS&R	L15	132	(29/897.312).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 12:54
14	IS&R	L16	253	(29/897.3).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 12:54
15	IS&R	L17	68	(29/525.14).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 12:57
16	IS&R	L18	2880	(219/635,634,637,639,640,643,660,663- 665,667,653,656,650,632,674).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 12:58

	Type	L #	Hits	Search Text	DBs	Time Stamp
17	BRS	L19	4193	12 or 13 or 14 or 15 or 16 or 17 or 18	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 12:59
18	BRS	L21	0	20 not 1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 13:00
19	BRS	L20	42	19 and ((induction with (heat\$3 or harden\$3) with quench\$3)) and (mov\$3 with (workpiece or (work near piece) or work-piece))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 13:01
20	BRS	L22	0	20 and actuator and ((ball near screw) or (ball near spline)) and (servo with motor\$1)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 13:01
21	BRS	L23	0	20 and (actuator and ((ball near screw) or (ball near spline)) and (servo with motor\$1)) and (induction with heat\$3)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 13:01
22	BRS	L24	42	19 and ((induction with (heat\$3 or harden\$3) with quench\$3)) and (mov\$3 with (workpiece or (work near piece) or work-piece))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/10/28 13:01